

Acriche LED AW3221-01

Ηα ίαθάε οίθαιίαιε ίείυαάεά

Acriche ηάαοίαιείαιύ ηάθεý ηίαοεάεüíí θαçθάαίθαιά äëý èñííëüçíááíëý á ίθííüøéáííüð ηάòýò ίάθαιίίííí οίεά. Íáεάñòε ίθεíáíáíëý AW3221, AN3221, AW3220, AN3220, AN4240, AN4221, AN4222, AN4223, AN4224.

Íñííáíúá òáοίε÷áñéεά θάθáεòáθèñòèèè ηάáοίαιεíáá:Part No.ColorVF[V]Φv[Im]ΦI[lux]IOPT[mA]2θ½[Ú]TypeSpec.AN White3000K220 VAC18020020130PCB Data Sheet Íáεíáíááíεά, ίñííáíúá ίáθαιáòðúíθíεçáíáεòáεüĐíçíεòáíò 10θò.íò 20θò.

AN 3221-01

(òáíëí-ááëúé ~200Lm 4.0W 220VAC)SSC

\$7,50

+ áñòü á ίáεè÷èè

ííá

çàèàç

ííá

çàèàç

Íñííáíúá òáοίε÷áñéεά θάθáεòáθèñòèèè ηάáοίαιεíáá:Part No.ColorVF[V]Φv[Im]ΦI[lux]IOPT[mA]2θ½[Ú]TypeSpec.AN White6300K220 VAC21524020130PCB Data Sheet Íáεíáíááíεά, ίñííáíúá ίáθαιáòðúíθíεçáíáεòáεüĐíçíεòáíò 10θò.íò 20θò.

AW3221-01

(ááëúé 215Lm 4.0W 220VAC)

SSC

\$7,50

+ áñòü á ίáεè÷èè

\$7,00

+ áñòü á ίáεè÷èè

\$6,50

+ áñòü á ίáεè÷èèÍðè ίíοíáíüò çáεàçàò οοί÷íýεòá οáíú, ηέεάεè Ááñ ίθëýοíí óáεáýò!

Áíεάá äáòáεüíóρ εíοíθíáòèρ

ííæíí ίáεòè ίá ááá-ñáεòá èíííáíεè

Seoul Semiconductor

Íáò ίáíáοίáεííñòε ίθεíáíáíëý ηίαοεάεüííüð áθáεááθíá äëý ίεòáíëý ηάáοίαιεíáá.

Áεëρ÷ááí AW3221-01 á ηάòü ίáθαιίίííí οίεά 220 áíεüò!

Èèü ίáíí óñéíáεά.

Íáíáοίáεíí ίθááááθèòáεüíí çáεθáíεòü ηάáοίαιεíá Acriche ίá θááεàòíθá äëý ίááñíá÷áíëý ίíòεíáεüííáí óáíéíáíáí θáæéíá ýéñíεòáòá

Đáεííáíáóáíúé ίθíεçáíáεòáεáí íεíεíáεüíúé θαçíáð θááεàòíθá äëý ίòεáæááíëý ηάáοίαιεíáá ηíñòááëýáò 44mm*44mm.

Είτε:-άνοαί νάαοίαιείαί, ιίάεεπ:-άαιύο ιαδαεεάεüí ê ñàè 220 VAC ñíáαδθáίί íá ιάδαίε:-άί.

Άτεάά ιαδίαιύά δάειίαιάαοèè ìò ιðìεçáíäèòáεý ιí ñíáεπááίεπ óáιιáδòóðíúò δάæειίá δαáιού ñáαοίαιείαί ýοίε ñáðèè ιðεάάááú

ΕΙΕΕΕΙΛΟΙΘΙÚÁ ΕΕΙÇÚ

Íòèè:-íáý ιíáíñòù.

Άáñü ðýá èèίç äéý ñáαοίαιείαί P4,P7,Acriche, ιðìεçáíäèìúò Sekonix!

P7 LENS SERIES-1

Lens Symbol : PMMA

À1 deg-15°

À3 deg-25°

(Dimensions: ò 37,18mm *20.18mm) Άéý ñáαοίαιείαί Seoul Semiconductor:Z-power Đ7 (W724c0) è Acriche (AW3221-01) Íàèì ιáδàìáòðúíðìεçáíäèòáεüìò 1 øò.ìò 5-10 øò.ìò 30 øò.

Collimate Lens for LED(s) Seoul Semiconductor À1 deg-15°

áñòù á íàèè:-èè

SEKONIX Íàèìáííááíèá, ιñííáíúá ιáδàìáòðúíðìεçáíäèòáεüìò 1 øò.ìò 5-10 øò.ìò 30 øò.

Collimate Lens for LED(s) Seoul Semiconductor À3 deg-25°

áñòù á íàèè:-èè

SEKONIX\$2,75\$2,60\$2,50P7 LENS SERIES-2

Lens Symbol : PMMA

Lens NARROW deg-10°

Lens WIDE deg-35°

Lens ELLIPTICAL X deg-45° & Y deg-25°

(Dimensions: ò 38,00mm *18.59mm) Άéý ñáαοίαιείαί Seoul Semiconductor: Z-power Đ7 (W724c0) è Acriche (AW3221-01) Íàèì ιáδàìáòðúíðìεçáíäèòáεüìò 1 øò.ìò 5-10 øò.ìò 30 øò.

Collimate Lens for LED(s) Seoul Semiconductor Lens NARROW deg-10°

áñòù á íàèè:-èè

SEKONIX\$2,75\$2,60\$2,50Íàèìáííááíèá, ιñííáíúá ιáδàìáòðúíðìεçáíäèòáεüìò 1 øò.ìò 5-10 øò.ìò 30 øò.

Collimate Lens for LED(s) Seoul Semiconductor Lens WIDE deg-35°

íáò á íàèè:-èè

SEKONIX\$2,90\$2,75\$2,65ίαείαίίαεία, ίνίίίίίί ίαδàiàòδūīđīēçâīαèòáëüìò 1 øð.ìò 5-10 øð.ìò 30 øð.Collimate Lens for LED(s) S

Lens ELLIPTICAL X deg-45° & Y deg-25°

ãñòü â íàèè÷èè

SEKONIX\$2,90\$2,75\$2,65

Optical Lens & LED lens for ACRICHE SERIESWWW.SOHAN.COM.UA

Íâèíêà íà íàðàì ñêèää!LENSES FOR P7 LEDsChoose Lens to see more information (pdf datasheet):

Boom REFLECTOR SERIES
Dimensions = (22.2 x 14.34)mm
Material = Metallized PC
Light Sources = SEOUL Acriche AX3221 / P7 LEDs
Fastening = Adhesive tape
Boom Ordering Codes:
CA10715_Boom-S
CA10930_Boom-M
CA10931_Boom-W

LENS TYPESNAME ORDERING CODEFWHM Angle (with P7)FWHM Angle (with acriche)ÖÁÍÀ

Boom-S

CA10715_Boom-S

±9°

±12°

íàò â íàèè÷èè

Boom-M

CA10930_Boom-M

±17.8°

±19°

\$2,50

Boom-W

CA10931_Boom-W

±34°

±28.5°

\$2,50Áíñòàâèà çàèàçíà â äðòãèà áíðíàà Óêðàèíú â òà÷áíèè 2-ò áíáé.

+380(44) 360-67-07 (INTERTELECOM)

+380(67) 979-41-03 (ÉYIVSTAR)

Íðèíèààì çàèàçû:. MAILTO: ledauto1@gmail.com ICQ: 380971020 SKYPE: sokhan99