

Ιάϊϊέϋδίουά ιόνήϊάϋά, δαάι÷εά, äëÿ êïïáíñàöèè δαάèðèáííé ïùííñòè

Èïïðóíóá éííááíñàðíðú íáïïéϋδίουά äëÿ ιόνήè è δαάíòú (íáðàèèèçèðíááííóá ïíèèðííèèáííáϋá) CBB-60, CBB-65, (CD-60- ýèáèððíèè Ìðèíáíϋðñÿ, á ÷áñòííñòè, èáè ιόνήϊáϋá è δαάí÷εά éííááíñàðíðú äëÿ çáíóñèá ýèáèððíááèèáàðáèáé íáðáíáííáí ðíèá, à òàèæá á áó
Áúíóñèáðñÿ íá íáíðÿæáíéÿ 300VAC, 400VAC, 450VAC è 500VAC.

CBB-60, CBB-65 ÿäëÿðñÿ áíáèíáàè ñíááðñèèð éííááíñàðíðíá È78-17.

Íòíáèèàì - ñíáðèèáèüíóá òáíó!
Ìðáèñ δáèèáííáí òáðáèðáðá, íàèè÷εά íáíáðíáèí äííèíèðáèüíí òðí÷íÿðú!!!

CBB-60. Èííðáèðíáÿ äðóííá - ïðíáíáà (áèáèèá áúáíáú)

Céà÷àòü òáðíè÷áñéíá ïíèñáíèá

ÍÓÍΘÌÈÒÜ ïÏÈÓÍÈÓ ×ΑΒΑÇ ÈÍÒΑΒÍÁÒ-ÌΑÃΑÇÈÍ

CBB-60L. Èðáíèáíèá áíèð, éííðáèðíáÿ äðóííá-ïðíáíáà

Céà÷àòü òáðíè÷áñéíá ïíèñáíèá

ÍÓÍΘÌÈÒÜ ïÏÈÓÍÈÓ ×ΑΒΑÇ ÈÍÒΑΒÍÁÒ-ÌΑÃΑÇÈÍ

CBB-60H. Áúáíáíóá èèáííü

Céà÷àòü òáðíè÷áñéíá ïíèñáíèá

ÍÓÍΘÌÈÒÜ ïÏÈÓÍÈÓ ×ΑΒΑÇ ÈÍÒΑΒÍÁÒ-ÌΑÃΑÇÈÍ

CBB-60Ì. Èðáíèáíèá áíèð +áúáíáíóá èèáííü

Céà÷àòü òáðíè÷áñéíá ïíèñáíèá

ÍÓÍΘÌÈÒÜ ïÏÈÓÍÈÓ ×ΑΒΑÇ ÈÍÒΑΒÍÁÒ-ÌΑÃΑÇÈÍ

Iiieiae eifaaifnaoioiCBB-60eioieou online CBB-60 Leioieou online CBB-60 Heoieou online CBB-60 Meoieou online daq
 diqieou daqiað (aeai.*auñ).Oaia diqieou 1 mkf - 450 VAC (25*65 mm)\$1,00 (30*57 mm)\$0,95 1,5 mkf - 450 VAC (25*65 mm)
 mkf - 450 VAC (25*65 mm)\$1,08 (30*57 mm)\$1,01 (30*50 mm) \$1,08 (30*57 mm) \$1,122,5 mkf - 450 VAC (25*65 mm)\$1,15 (30*57 mm)\$1,07 (30*50 mm)\$1,10 (30*57 mm)\$1,183 mkf - 450 VAC (25*65 mm)\$1,18 (30*57 mm)\$1,12 (30*50 mm) \$1,12 (30*57 mm)\$1,223,5 mkf - 450 VAC (25*65 mm)\$1,22 (30*57 mm)\$1,15 (30*50 mm) \$1,15 (30*57 mm)\$1,253,75 mkf - 450 VAC (30*50 mm)\$1,15 4 mkf - 450 VAC (25*65 mm)\$1,25 (30*57 mm)\$1,18 (30*60 mm)\$1,25 (30*57 mm)\$1,295 mkf - 450 VAC (30*60 mm)\$1,32 (30*57 mm)\$1,16 (30*60 mm)\$1,27 (30*57 mm) \$1,326 mkf - 450 VAC (30*60 mm)\$1,35 (30*57 mm)\$1,35 (30*60 mm)\$1,30 (30*60 mm)\$1,356,3 mkf - 450 VAC (30*60 mm)\$1,33 7 mkf - 450 VAC (30*60 mm)\$1,45 8 mkf - 450 VAC (35*60 mm)\$1,52 (35*65 mm)\$1,56 (30*60 mm)\$1,45 (35*65 mm)\$1,569 mkf - 450 VAC (35*60 mm)\$1,62 10 mkf - 450 VAC (35*60 mm)\$1,79 (35*65 mm)\$1,83 (30*60 mm)\$1,69 (35*65 mm)\$1,791 mkf - 450 VAC (35*70 mm)\$1,97 (35*65 mm)\$1,99 (30*70 mm)\$1,85 (35*65 mm)\$2,0812,5 mkf - 450 VAC (30*70 mm)\$1,99 14 mkf - 450 VAC (40*70 mm)\$2,06 (40*70 mm)\$2,26 (40*70 mm)\$2,12 (40*75 mm)\$2,3615 mkf - 450 VAC (40*70 mm)\$2,17 (40*70 mm)\$2,22 (40*75 mm)\$2,5016 mkf - 450 VAC (40*70 mm)\$2,28 (40*70 mm)\$2,44 (40*70 mm)\$2,35 (40*75 mm)\$2,6018 mkf - 400 VAC (40*70 mm)\$2,54 (40*70 mm) \$2,65 (40*70 mm)\$2,44 (40*75 mm) \$2,6520 mkf - 450 VAC (40*70 mm)\$2,69 (40*70 mm)\$2,84 (40*70 mm) \$2,59 (40*75 mm)\$2,6925 mkf - 450 VAC (40*90 mm)\$3,14 (40*95 mm)\$3,18 (40*90 mm)\$3,14 (40*95 mm)\$3,2030 mkf - 450 VAC (45*93 mm)\$3,47 (45*95 mm)\$3,59 (40*90 mm)\$3,40 (40*95 mm)\$3,5035 mkf - 450 VAC (45*93 mm)\$3,87 (45*95 mm)\$4,10 (45*92 mm)\$3,80 (45*95 mm)\$3,8740 mkf - 450 VAC (45*93 mm)\$4,30 (45*95 mm)\$4,58 (45*93 mm)\$4,20 (45*95 mm)\$4,3045 mkf - 450 VAC (50*93 mm)\$4,87 (50*106 mm)\$5,14 (50*92 mm)\$4,80 (50*106 mm)\$4,8550 mkf - 450 VAC (50*93 mm)\$5,56 (50*106 mm)\$5,60 (50*92 mm)\$5,20 (50*106 mm)\$5,3560 mkf - 450 VAC (50*100 mm)\$6,55 (50*120 mm)\$6,77 70 mkf - 450 VAC (50*120 mm)\$7,55 (50*120 mm)\$7,75 80 mkf - 450 VAC (55*120 mm)\$8,58 (55*120 mm)\$8,75 90 mkf - 450 VAC (55*120 mm)\$9,95 (60*120 mm)\$8,99 100 mkf - 450 VAC (60*120 mm)\$11,00 (60*120 mm)\$11,14 120 mkf - 450 VAC (65*130 mm)\$14,00 (65*132 mm)\$14,50 150 mkf - 450 VAC (65*130 mm)\$17,00 (65*132 mm)\$17,25

Yeaedoriueo-aanea ioneiaua eifaaifnaoioiu naaede CD60 ioaaiaqia-aiu aey enieucifaaiey a oaiyo caionea aaeaadaeae eiiodaen

Yeaedoriueo-aanea ioneiaua eifaaifnaoioiu naaede CD60 ioaaiaqia-aiu aey enieucifaaiey a oaiyo caionea aaeaadaeae eiiodaen

Cea-aou daoie-aanea iienaiea IOIDIEOU IIEOIEO xADAÇ EIOADIAO-IAAAÇEI

Oei eifaaifnaoioi, aieinoi (mkf), aieuoæ (VAC) Daqiaðu (aeaiadð*aunioa)IdiecaiaeoaeuDiqie-iay oaià

<CD-60> 50 mkf ~ 300 VAC (±5%) Ioneiaie - 50Hz.

à iaee-eèJYUL (42*80 mm)

4,00 ó.å.

eoieou

<CD-60> 75 mkf ~ 300 VAC (±5%) Ioneiaie - 50Hz.

à iaee-eèJYUL (42*80 mm)

4,50 ó.å.

eoieou

<CD-60> 100 mkf ~ 300 VAC (±5%) Ioneiaie - 50Hz.

à iaee-eèJYUL (42*80 mm)

4,95 ó.å.

eoieou

<CD-60> 150 mkf ~ 300 VAC (±5%) Ioneiaie - 50Hz.

à iaee-eèJYUL (45*90 mm)

5,25 ó.å.

eoieou

<CD-60> 200 mkf ~ 300 VAC (±5%) Ioneiaie - 50Hz.

â íàèè÷èèJYUL (50*100 mm)

6,00 ó.â.

êóíèòü

<CD-60> 250 mkf ~ 300 VAC (±5%) Íóñêíâíé - 50Hz.

â íàèè÷èèJYUL (50*100 mm)

7,25 ó..â.

êóíèòü

<CD-60> 300 mkf ~ 300 VAC (±5%) Íóñêíâíé - 50Hz.

â íàèè÷èè

JYUL (50*100 mm)

8,00 ó.â.

êóíèòü

<CD-60> 400 mkf ~ 300 VAC (±5%) Íóñêíâíé - 50Hz.

â íàèè÷èèJYUL (50*100 mm)

9,00 ó.â.

êóíèòü

<CD-60> 500 mkf ~ 300 VAC (±5%) Íóñêíâíé - 50Hz.

â íàèè÷èèJYUL (50*110 mm)

11,00 ó.â.

êóíèòü

<CD-60> 600 mkf ~ 300 VAC (±5%) Íóñêíâíé - 50Hz.

â íàèè÷èèJYUL (50*110 mm)

11,75 ó.â.

êóíèòü

<CD-60> 800 mkf ~ 300 VAC (±5%) Íóñêíâíé - 50Hz.

â íàèè÷èèJYUL (50*110 mm)

13,50ó.â.

êóíèòü

<CD-60> 1000 mkf ~ 300 VAC (±5%) Íóñêíâíé - 50Hz.

â íàèè÷èèJYUL (50*110 mm)

14,50ó.â.

êóíèòüÂ áâðòíâí ìðââíí èíòíðíàöèííííí áéíêâ ñáéòà òððæààðñý íáèè÷íúé êóðñ ãðèáíú ïí òòííðáíèð è USD ìðè ðíçíè÷íí-ííòíâíé ìðíââ

Íñóúáñòáèÿâí ìòíðâáéó çàèàçíâ â äððáèâ áíðíââ Óèðàèíú â òâ÷-áíèè 2-ð áíáé.

Іеіеіаеуіаŷ ніііа çàеаçà аіеæіа а̀уçúааòü ііòеіèçі äëŷ іòáіèè оáеáñііáòаçіíñòè çàòòàò іа аіñòааеó... Аіñòааеа çàеаçіâ á äòó
+380(44) 360-67-07 (INTERTELECOM)
+380(67) 979-41-03 (ÊYIVSTAR)

Їòèіèìààì çàеаçú: MAILTO: ledauto1@gmail.com ICQ: 380971020 SKYPE: sokhan99 <http://car-led.org/g2023068-cbb-cbb-kondensatory>