

Yéáèòðííèòú ñ æáñòèèè àúâíààìè

Ààøáíó áíèíàíèþ ðíçíè-íúé ïðàéñ ïí yéáèòðííèèòè-áñèèí èííááíñàòíðàí ñ æáñòèèè àúâíààìè (Snap-in Type). Ííáááðæéááòñý áííñ (max expected life: 75 000Hrs at +65°C with ripple curent applied). Èçááñòíúá ïðíèçáíàèòáèè. Ðáàèüíúá óáíú ááç ðáèèáííúó ðíèè ïðè ïðíàèòèðíááíèè yéáèòðè-áñèèò ñðáí è ïðè ïííòáæá yéáèòðííèèòá íáíáíðáèí ñíáèþááòú ïíèýðííñòú ïíáèèþ-áíèý, á ïðíòèáíí ñèè

Íðàéñ ðáèèáííáí òáðáèòáðá, íàèè-èá ðíááðá íáñòáòè-íí è òðááóáò áíííèèòáèüííáí óòí-íáíèý.

Yéáèááèáíó áðèáíááíè óáíú íà ïðíáóèòèþ ïðáááèýáòñý ïí èíííáð-áñèííó èóðñó íà ïíáíò ïñóúáñòáèáíèý ïèàòáæá. Á ááððíáí ïðááí íÁÑ. Cèà-àòú òáðíè-áñèíá ïíèñáíèá. Ñáðèý HKÍíèíáè yéáèòðííèèòè-áñèíáí èííááíñàòíðàíðíèçáíàèòáèèðíçíè-íáýñáðèý è ðáçíáç

400v* (105°C) Yéáèòðííèèò <HP> 22*21Capxon\$0,7647mkf - 400v** (105°C)	Yéáèòðííèèò <HK> 22*20SAMWHA\$0,9768mkf - 400v* (105°C)	Yéáèòðííèèò <LP> 22*26Capxon\$0,9347mkf - 450v* (105°C)	Yéáèòðííèèò <HP> 22*21Capxon\$0,9347mkf - 450v* (105°C)	Yéáèòðííèèò <LP> 22*26Capxon\$0,9768mkf - 400v* (105°C)	Yéáèòðííèèò <HP> 22*31Capxon\$0,9768mkf - 400v* (105°C)	Yéáèòðííèèò <HK> 25*20SAMWHA\$1,2268mkf - 450v*	Yéáèòðííèèò <HC> 22*25SAMWHA\$1,0368mkf - 450v* (105°C)	Yéáèòðííèèò <HE> 22*25SAMWHA\$1,1382mkf - 400v*	Yéáèòðííèèò <HC> 22*30SAMWHA\$0,9982mkf - 400v* (105°C)	Yéáèòðííèèò <HE> 25*25SAMWHA\$1,1982mkf - 400v* (105°C)	Yéáèòðííèèò <LP> 22*26Capxon\$0,97100mkf - 350v*	Yéáèòðííèèò <LP> 22*31Capxon\$1,06100mkf - 400v*	Yéáèòðííèèò <HC> 22*30SAMWHA\$1,07100mkf - 400v**	Yéáèòðííèèò <LS> 25*25JAMICON\$1,13100mkf - 400v*** <mini>	Yéáèòðííèèò <HC> 25*25SAMWHA\$1,07100mkf - 400v* (105°C)	Yéáèòðííèèò <HS> 22*30JAMICON\$1,28100mkf - 400v* (105°C)	Yéáèòðííèèò <HK> 30*20SAMWHA\$1,32100mkf - 400v (105°C)	Yéáèòðííèèò <LP> 25*30Capxon\$1,27100mkf - 450v*	Yéáèòðííèèò <HJ> 22*25SAMWHA\$1,39100mkf - 450v* (105°C)	Yéáèòðííèèò <HS> 22*40JAMICON\$1,78100mkf - 450v***	Yéáèòðííèèò <HE> 22*40SAMWHA\$1,51100mkf - 450v** (105°C)	Yéáèòðííèèò <KM> 18*31Capxon\$1,31120mkf - 400v (105°C)	Yéáèòðííèèò <LP> 25*26Capxon\$1,19120mkf - 400v*** <mini>	Yéáèòðííèèò <LP> 22*31Capxon\$1,19120mkf - 400v* (105°C)	Yéáèòðííèèò <HE> 22*40SAMWHA\$1,52120mkf - 450v*	Yéáèòðííèèò <SD> 18*40SAMWHA\$1,28120mkf - 450v*** <mini>	Yéáèòðííèèò <HP> 25*41Capxon\$1,83120mkf - 450v** (105°C)	Yéáèòðííèèò <LP> 25*31Capxon\$1,35150mkf - 400v*	Yéáèòðííèèò <LP> 22*36Capxon\$1,40150mkf - 400v**	Yéáèòðííèèò <LS> 22*35JAMICON\$1,83150mkf - 400v*** <mini>	Yéáèòðííèèò <HS> 22*40JAMICON\$1,98150mkf - 400v** (105°C)	Yéáèòðííèèò <HK> 30*25SAMWHA\$1,96150mkf - 400v* (105°C)	Yéáèòðííèèò <HP> 25*31Capxon\$1,70150mkf - 450v*	Yéáèòðííèèò <HC> 25*40SAMWHA\$1,83150mkf - 450v*	Yéáèòðííèèò <HJ> 22*35SAMWHA\$1,93150mkf - 450v*	Yéáèòðííèèò <HC> 30*30SAMWHA\$1,98150mkf - 450v* (105°C)	Yéáèòðííèèò <HE> 30*30SAMWHA\$1,97150mkf - 450v** (105°C)	Yéáèòðííèèò <HJ> 22*30SAMWHA\$1,75180mkf - 400v*	Yéáèòðííèèò <HC> 22*40SAMWHA\$1,72180mkf - 400v* (105°C)	Yéáèòðííèèò <HJ> 22*35SAMWHA\$2,22180mkf - 450v*	Yéáèòðííèèò <HE> 25*45SAMWHA\$2,79220mkf - 350v*** <mini>	Yéáèòðííèèò <LP> 25*41Capxon\$1,67220mkf - 350v*	Yéáèòðííèèò <HP> 25*41Capxon\$1,69220mkf - 350v* (105°C)	Yéáèòðííèèò <LP> 25*41Capxon\$2,04220mkf - 400v*	Yéáèòðííèèò <LS> 25*40JAMICON\$2,10220mkf - 400v**	Yéáèòðííèèò <HJ> 22*35SAMWHA\$1,99220mkf - 400v* (105°C)	Yéáèòðííèèò <HS> 25*40JAMICON\$2,33220mkf - 400v* (105°C)	Yéáèòðííèèò <HK> 35*25SAMWHA\$2,82220mkf - 400v** (105°C)	Yéáèòðííèèò <HJ> 22*40SAMWHA\$2,60220mkf - 450v*	Yéáèòðííèèò <LP> 30*40Capxon\$2,59220mkf - 450v*	Yéáèòðííèèò <HP> 30*40Capxon\$3,24220mkf - 450v** (105°C)	Yéáèòðííèèò <HE> 30*40SAMWHA\$3,24220mkf - 450v** (105°C)	Long Live 5000÷. <HL> 35*36Capxon\$3,18220mkf - 500v*	Yéáèòðííèèò <LP> 25*46Capxon\$2,20270mkf - 400v*** <mini>	Yéáèòðííèèò <LP> 30*36Capxon\$2,20270mkf - 450v* (105°C)	Yéáèòðííèèò <HJ> 22*25SAMWHA\$1,05330mkf - 200v* (105°C)
--	---	---	---	---	---	---	---	---	---	---	--	--	---	--	--	---	---	--	--	---	---	---	---	--	--	---	---	--	---	--	--	--	--	--	--	--	---	--	--	--	---	--	--	--	--	--	---	---	--	--	---	---	---	---	--	--

25*41Capxon\$2,252200mkf - 100v* (105°C) Ýēāēōōīīēō <HE> 30*40SAMWHA\$2,262200mkf - 160v* Ýēāēō
35*47Capxon\$3,922200mkf - 160v*** <mini> Ýēāēōōīīēō <HJ> 35*40SAMWHA\$3,952200mkf - 160v* (105°C) Ýēāēō
35*52Capxon\$4,372200mkf - 200v*** <mini> Ýēāēōōīīēō <HJ> 35*45SAMWHA\$5,872200mkf - 200v* Ýēāēō
35*52Capxon\$5,412200mkf - 200v* (105°C) Ýēāēōōīīēō <HK> 35*50SAMWHA\$6,503300mkf - 100v* Ýēāēō
30*41Capxon\$3,313300mkf - 100v* Ýēāēōōīīēō <HC> 30*40SAMWHA\$3,924700mkf - 50v* Ýēāēō
22*36Capxon\$1,194700mkf - 50v* Ýēāēōōīīēō <HC> 22*40SAMWHA\$1,224700mkf - 50v* Ýēāēō
22*35JAMICON\$1,344700mkf - 50v** (105°C) Ýēāēōōīīēō <HS> 22*45JAMICON\$1,724700mkf - 50v* (105°C) Ýēāēō
25*41Capxon\$1,464700mkf - 50v* (105°C) Ýēāēōōīīēō <HE> 25*40SAMWHA\$1,484700mkf - 63v** Ýēāēō
25*35JAMICON\$1,884700mkf - 63v* Ýēāēōōīīēō <LP> 25*41Capxon\$1,854700mkf - 63v* Ýēāēō
22*45JAMICON\$1,944700mkf - 63v* Ýēāēōōīīēō <HC> 30*40SAMWHA\$1,844700mkf - 63v** (105°C) Ýēāēō
25*50JAMICON\$2,294700mkf - 63v* (105°C) Ýēāēōōīīēō <HP> 25*51Capxon\$2,144700mkf - 63v* (105°C) Ýēāēō
25*50SAMWHA\$2,174700mkf - 100v* Ýēāēōōīīēō <LP> 30*51Capxon\$4,234700mkf - 100v* Ýēāēō
30*50JAMICON\$3,924700mkf - 100v* Ýēāēōōīīēō <HC> 35*50SAMWHA\$4,724700mkf - 100v** Ýēāēō
35*42Capxon\$4,234700mkf - 100v* (105°C) Ýēāēōōīīēō <HS> 35*45JAMICON\$5,094700mkf - 100v* (105°C) Ýēāēō
35*52Capxon\$5,724700mkf - 100v* (105°C) Ýēāēōōīīēō <HE> 35*50SAMWHA\$5,366800mkf - 100v* Ýēāēō
40*50SAMWHA\$6,7410000mkf - 25v* Ýēāēōōīīēō <LP> 25*41Capxon\$1,3510000mkf - 25v* Ýēāēō
22*40SAMWHA\$1,3810000mkf - 25v* (105°C) Ýēāēōōīīēō <HE> 25*35SAMWHA\$1,6010000mkf - 35v* Ýēāēō
25*41Capxon\$2,1410000mkf - 35v* Ýēāēōōīīēō <HC> 25*41SAMWHA\$1,7310000mkf - 35v** (105°C) Ýēāēō
25*50JAMICON\$2,0810000mkf - 35v* (105°C) Ýēāēōōīīēō <HP> 30*36Capxon\$2,0610000mkf - 35v* (105°C) Ýēāēō
25*45SAMWHA\$2,2010000mkf - 50v* Ýēāēōōīīēō <LP> 25*46Capxon\$2,4810000mkf - 50v* Ýēāēō
30*35JAMICON\$2,4610000mkf - 50v* Ýēāēōōīīēō <HC> 30*45SAMWHA\$2,7810000mkf - 50v** (105°C) Ýēāēō
30*45JAMICON\$3,1910000mkf - 50v* (105°C) Ýēāēōōīīēō <HP> 35*42Capxon\$3,0410000mkf - 50v* (105°C) Ýēāēō
30*50SAMWHA\$3,1810000mkf - 63v* Ýēāēōōīīēō <HC> 30*50SAMWHA\$3,6110000mkf - 63v* Ýēāēō
35*42Capxon\$3,3910000mkf - 63v* Ýēāēōōīīēō <LS> 30*45JAMICON\$3,4210000mkf - 63v* (105°C) Ýēāēō
35*52Capxon\$4,5810000mkf - 63v* (105°C) Ýēāēōōīīēō <HE> 35*50SAMWHA\$4,8610000mkf - 80v* Ýēāēō
35*52Capxon\$5,5610000mkf - 80v* Ýēāēōōīīēō <HC> 40*50SAMWHA\$5,9510000mkf - 80v* Ýēāēō
35*50JAMICON\$6,0110000mkf - 100v* Ýēāēōōīīēō <LP> 35*70Capxon\$6,8810000mkf - 100v* Ýēāēō
35*60JAMICON\$7,5310000mkf - 100v* Ýēāēōōīīēō <HC> 40*60SAMWHA\$7,8215000mkf - 50v* Ýēāēō
35*45SAMWHA\$4,2015000mkf - 63v* Ýēāēōōīīēō <LP> 35*52Capxon\$6,3515000mkf - 63v* Ýēāēō
35*50JAMICON\$5,2115000mkf - 63v* Ýēāēōōīīēō <HC> 35*50SAMWHA\$5,6722000mkf - 16v* Ýēāēō
25*36Capxon\$1,8422000mkf - 16v* Ýēāēōōīīēō <HC> 25*40SAMWHA\$1,8322000mkf - 25v* Ýēāēō
30*41Capxon\$2,3522000mkf - 25v* Ýēāēōōīīēō <HC> 30*40SAMWHA\$2,3622000mkf - 35v* Ýēāēō
35*42Capxon\$3,3922000mkf - 35v* Ýēāēōōīīēō <HC> 35*40SAMWHA\$3,3922000mkf - 50v* Ýēāēō
35*52Capxon\$5,9122000mkf - 50v* Ýēāēōōīīēō <LS> 35*50JAMICON\$5,8522000mkf - 50v* Ýēāēō
40*50SAMWHA\$6,8122000mkf - 50v* (105°C) Ýēāēōōīīēō <HE> 40*50SAMWHA\$6,8722000mkf - 63v* Ýēāēō
35*60JAMICON\$6,9733000mkf - 16v* Ýēāēōōīīēō <LP> 30*41Capxon\$2,5433000mkf - 16v* Ýēāēō
30*40SAMWHA\$2,6533000mkf - 25v* Ýēāēōōīīēō <LP> 30*51Capxon\$3,4433000mkf - 25v* Ýēāēō
35*45SAMWHA\$3,5833000mkf - 35v* Ýēāēōōīīēō <LP> 35*52Capxon\$4,7633000mkf - 35v* Ýēāēō
40*50SAMWHA\$5,0833000mkf - 50v* Ýēāēōōīīēō <LS> 35*60JAMICON\$7,1147000mkf - 16v* Ýēāēō
30*51Capxon\$3,4447000mkf - 16v* Ýēāēōōīīēō <HC> 35*40SAMWHA\$3,6947000mkf - 25v* Ýēāēō
35*52Capxon\$4,2347000mkf - 25v* Ýēāēōōīīēō <HC> 35*50SAMWHA\$4,2847000mkf - 25v* Ýēāēō
35*50JAMICON\$4,0468000mkf - 16v* Ýēāēōōīīēō <LP> 35*52Capxon\$5,0310000mkf - 16v* Ýēāēō
40*60SAMWHA\$6,88 Å åāðōīāī īōāāī ēīōīōīāōēīīīīī āēīēā nāēōā īōðāæāāōñý íàēē-īúē ēōðñ āðēāīú īī īōīñāīēþ ē USD īðē ðīçīē

Îñouãñoāēýāī īōīðāāēō çāēāçīā ā āðōāēā āīðīāā Óēðāēīú ā òā-āīēē 2-ō āīāē.

ìēīēīāēūīāý ñōīīā çāēāçā āīēæīā āúçūāòòū īìðēīēçī āēý īōāīēē òāēāñīāðāçīñōē çàòðàò íā āīñòāāēō... Āīñòāāēā çāēāçīā ā āð
+380(44) 360-67-07 (INTERTELECOM)
+380(67) 979-41-03 (ÉYIVSTAR)

İðēīēīāāī çāēāçû:. MAILTO: ledauto1@gmail.com ICQ: 380971020 SKYPE: sokhan99